

DRIVEN BY AIR.



Bench Top Hose Reel

Ideal for use over workbenches and in confined environments.



Introducing PCL's Bench Top Hose Reel, its small size makes it ideal for confined environments where space is a major factor but robustness and reliability are essential. This hose reel has been specifically designed for use with compressed air in garages, workshops and industrial application.

Auto retract is standard, neatly storing the hose with no kinks, tangles or effort allowing ease of use and reducing non-value added time. This hose reel features a hose stop that stops in any



position - and is adjustable at the flick of a lever. This new time-saving feature is an industry first.

The Bench Top Hose Reel is easy to maintain, with built-in cleaning brushes now included as standard to avoid debris being taken back into the reel which can cause the layering system to fail. Complete with strong steel wall mounting 180° swivel bracket enabling easy user manoeuvrability.

www.pclairtechnology.com

A HORNGROUP BRAND

DRIVEN BY AIR.



Key Features & Benefits

- Adjustable hose stopper - Reduces non-value added time
- Auto retract - Easily and smoothly rewinds the hose
- Built-in cleaning brush as standard to keep the hose clean
- Easy to maintain with long life and low life time costs
- High impact polypropylene construction for maximum durability
- Stylish product and packaging
- Copper tail outlet thread with dust cap
- Steel wall mounting 180° swivel bracket
- Supplied with fitted leader hose

Specification

Dimensions
L x W x H: 320 x 165 x 278 mm
Weight: 3.4 kg

Material
Hose: PVC Hybrid
Case type: Polypropylene

Pressure Measurement
Maximum working pressure: 8 bar / 120 psi

Application
Compressed air only

Part No.	Hose Length	Hose I.D	BSPT Inlet & Outlet
HRA2X	8 m	8 mm	1/4" BSPT

PCLDAT063 V3

PCL is the world leader in the design and manufacture of tyre inflation and compressed air products.

Pneumatic Components Limited
Holbrook Rise
Holbrook Industrial Estate
Sheffield S20 3GE

T +44 (0)114 248 2712
sales@pclairtechnology.com
www.pclairtechnology.com